



**Technical Characteristic KAI/KOS
FISA TEHNICA**

ODU
16.07.05(7/0)

**Model "Botticino"
Internal code: 4725; 4728; 4729
Type: Ceramic Wall Tiles
Group BIII, 255x755x9 mm**

Characteristics Group BIII, Annex L	Tolerance EN 14411:2016, %	Tolerance EN14411:2016, mm	Request values/Valori conform standard	Measured In KAI laboratory/Masurato ri in laborator Kai
1. Length/width Lungime/Latime, mm	±0.5/max±2mm	±1.25/±2.00	±1.00/±2.00	EN ISO 10545-2
2.Thickness Grosimea, mm	±10/max±0.5mm	±0.50	9.0 ± 0.50 mm	EN ISO 10545-2
3. Straightness of sides Liniaritatea muchiei,mm	±0.3/max±1.5mm	±0.75/±1.50	±0.75/±1.50	EN ISO 10545-2
4. Rectangularity Rectangularitate, mm	±0.5/max±2mm	±1.25/±2.00	±1.25/±2.00	EN ISO 10545-2
5. Centre curvature Curbura contrala, mm	0.5/-0.3%/ max 2.0/- 1.5mm	2.00/-1.50	CC – 0.6 mm; CV + 1.8 mm	EN ISO 10545-2
6. Edge curvature Curbura laterala, mm	0.5/-0.3%/ max 2.0/- 1.5mm	1.25/-0.75 2.00/-1.50	CC – 0.6 mm; CV + 1.8 mm	EN ISO 10545-2
7. Warpage Deformarea, mm	±0.5/max ±2.0mm	±2.00	CC – 0.6 mm; CV + 1.8 mm	EN ISO 10545-2
8. Surface quality Calitatea suprafetei	≥95% without defects	≥95% without defects	Pass	EN ISO 10545-2
9.Water absorption Absorbția de apa, %	Eb>10%	Eb>10%	Average: 16.7 %	EN ISO 10545-3
10.Modulus of rupture Rezistența mecanică, N/mm ²	≥12 N/mm ²	≥12 N/mm ²	≥ 24 N/mm ²	EN ISO 10545-4
11. Breaking strength Forța de rupere, N	≥ 600N	≥ 600N	≥ 905 N	EN ISO 10545-4
12.Crazing resistance, glazed tiles/Resistența la crapături pentru plăci glazurate	Pass according to EN ISO 10545-1	Pass according to EN ISO 10545-1	Resistant	EN ISO 10545-9
13.Resistance for household chemicals and swimming pool salts/Rezistența la soluțiile de uz casnic și saruriel de piscină	Pass according to EN ISO 10545-1	Pass according to EN ISO 10545-1	Resistant	EN ISO 10545-11
14.Resistance to the low concentration acids and alkalis/Rezistența la acizi și baze de concentrație slabă	Min class B	Min class B	GA	EN ISO 10545-13
15. Resistance to the high concentration acids and alkalis/ Rezistența la	Declared value	Declared value	GLA	EN ISO 10545-13

acizi si baze de concentratie mare				
16.Stain resistance Rezistenta la patare	Declared value	Declared value	GHA	EN ISO 10545-13
17. MOHS Rezistenta la zgariere	Min class 3	Min class 3	class 5	EN ISO 10545-14
18.Modulus of rupture Rezistenta mecanica, N/mm ²	Declared value	Declared value	3.5	EN 101:1991

Date: 26.02.2021

QC:.....

