

Fișă tehnică

ISOMAT NATURAL COLORED STONES

Pietre naturale, colorate, pentru pardoseli decorative

Descriere

ISOMAT NATURAL COLORED STONES sunt folosite pentru realizarea covoarelor de piatră, în combinație cu rășina liant poliuretanică, monocomponentă, transparentă ISOFLEX-PU 650 sau VARNISH-PU 1K. Pentru aplicații la interior, se recomandă utilizarea VARNISH PU 1K deoarece nu conține solvenți.

Pot fi utilizate și împreună cu mortarul liant DUROCRET-TERRAZZO pentru obținerea șapelor decorative de înaltă rezistență, tip terrazzo.

Date tehnice

Aspect: agregate colorate
Culori: 10 culori selecționate
Dimensiuni: 2-4 mm
Greutate specifică: 1,5 kg/l

Observații

- Pentru mai multe informații privind realizarea covoarelor decorative de piatră, cu ajutorul pietrelor ISOMAT NATURAL COLORED STONES, se vor consulta fișele tehnice ale produselor ISOFLEX-PU 650 și VARNISH-PU 1K.
- Pentru mai multe informații privind realizarea pardoselilor decorative tip terrazzo, vă rugăm să consultați fișa tehnică a DUROCRET-TERRAZZO.
- Culoarea pietrelor ISOMAT NATURAL COLORED STONES, așa cum este prezentată în broșuri sau pe site-ul ISOMAT, poate diferi ușor față de rezultatul final, din cauza procesului de printare și a diferențelor între monitoare. Se recomandă să se realizeze o mostră, înainte de aplicare.

Ambalaj

Saci de plastic de 25 kg.

Culori

01 THASSOS	Alb
02 BIANCO CARRARA	Gri deschis
03 BARDIGLIO	Gri
04 GRIGIO	Gri închis
05 BOTTICINO	Bej
06 GIALLO SIENA	Ocru
07 ARABESCATO	Gri/roșu
08 ROSA	Roz
09 MARRONE	Cărmiziu
10 VERDE	Verde

ISOMAT NATURAL COLORED STONES

STONE CARPET COLOR CHART



01. THASSOS



**02. BIANCO
CARRARA**



03. BARDIGLIO



04. GRIGIO



05. BOTTICINO



06. GIALLO SIENA



07. ARABESCATO



08. ROSA



09. MARRONE



10. VERDE

Technical Datasheet

ISOMAT NATURAL COLORED STONES

Natural colored stones for decorative floors

Description

ISOMAT NATURAL COLORED STONES are used for production of decorative stone carpets in combination with the transparent one-component polyurethane resin binder ISOFLEX-PU 650 or VARNISH-PU 1K. For indoor applications, it is recommended to use VARNISH-PU 1K, since it is solvent-free.

Also used together with the cementitious mortar-binder DUROCRET-TERRAZZO for high-strength decorative floor screeds with a modern terrazzo look.

Technical data

Appearance:	colored aggregates
Color:	10 selected colors
Size:	2-4 mm
Specific weight:	1.5 kg/l

Remarks

- For further information on the production of decorative stone carpets containing ISOMAT NATURAL COLORED STONES, please refer to ISOFLEX-PU 650 and VARNISH-PU 1K Technical Datasheets.
- For further information on the production of decorative terrazzo floors, please refer to the DUROCRET-TERRAZZO Technical Datasheet.
- Please note that the colors of ISOMAT NATURAL COLORED STONES shown in the brochures and on ISOMAT website may differ from the actual product due to printing limitations and monitor differences. Product samples are available on request.

Packaging

25 kg plastic bags.

Colors

01 THASSOS	White
02 BIANCO CARRARA	Light Grey
03 BARDIGLIO	Grey
04 GRIGIO	Dark Grey
05 BOTTICINO	Beige
06 GIALLO SIENA	Ochre
07 ARABESCATO	Grey/red
08 ROSA	Pink
09 MARRONE	Red-brown
10 VERDE	Green

ISOMAT NATURAL COLORED STONES

STONE CARPET COLOR CHART



01. THASSOS



**02. BIANCO
CARRARA**



03. BARDIGLIO



04. GRIGIO



05. BOTTICINO



06. GIALLO SIENA



07. ARABESCATO



08. ROSA



09. MARRONE



10. VERDE