



## Specifications - PILA LED 25W G9 WW ND

Product description	PILA LED 25W G9 WW ND
Light output (lm)	250
Power (W)	2,8
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50-60Hz
Lamp shape	Spot
Colour	Warm White
Energy efficiency class	A++
Average lifespan	15000
EAN	8718696485446
null	/8718696485446_Pila_LED1



## Specifications - PILA LED 35W GU5.3 WW 12V 36D ND

Product description	PILA LED 35W GU5.3 WW 12V 36D ND
Light output (lm)	345
Power (W)	5,5
CCT (K)	2700
CRI	80
Dimming	No
Voltage	12V
Lamp shape	Spot
Colour	Warm White
Energy efficiency class	A
Average lifespan	15000
EAN	8718696485163
null	/8718696485163_Pila_LED



## Specifications - PILA LED 50W GU5.3 WW 12V 36D ND

Product description	PILA LED 50W GU5.3 WW 12V 36D ND
Dimensions	50*46
Light output (lm)	680 lumen
Power (W)	8W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	12V
Voltage type	12V
Luminous intensity	680 lumen
Lamp shape	MR16
Colour	Warm white
Lamp current	710 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	46 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964790
Energy Consumption kWh/1000 h	9
Rated peak intensity (cd)	1400 cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 65W GU10 CW 36D ND

Product description	PILA LED 65W GU10 CW 36D ND
CCT (K)	4000
CRI	80
Dimming	No
Voltage	220-240V/50HZ
Lamp shape	Spot
Colour	Cool white
Average lifespan	15000
EAN	8718696534229



## Specifications - PILA LED 20W GU5.3 WW 12V 36D ND

Product description	PILA LED 20W GU5.3 WW 12V 36D ND
Dimensions	50*46
Light output (lm)	250 lumen
Power (W)	2.8W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	12V
Voltage type	12V
Luminous intensity	250 lumen
Lamp shape	MR16
Colour	Warm white
Lamp current	350 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	46 mm
Energy efficiency class	A++
Average lifespan	15000h
EAN	8727900964639
Energy Consumption kWh/1000 h	4
Rated peak intensity (cd)	600 cd



## Specifications - PILA LED 50W GU10 CW 36D ND

Product description	PILA LED 50W GU10 CW 36D ND
Dimensions	50*54
Light output (lm)	420 lumen
Power (W)	4.7W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	420 lumen
Lamp shape	GU10
Colour	Cool white
Lamp current	38 mA
Radiation angle	36 degree
Diameter	50 mm



## SPECIFICATIONS (continued)

Length	54 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964899
Energy Consumption kWh/1000 h	5
Rated peak intensity (cd)	1000cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 35W GU10 CW 36D ND

Product description	PILA LED 35W GU10 CW 36D ND
Dimensions	50*54
Light output (lm)	280 lumen
Power (W)	3W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	280 lumen
Lamp shape	GU10
Colour	Cool white
Lamp current	27 mA
Diameter	50 mm
Length	54 mm

## SPECIFICATIONS (continued)

Energy efficiency class	A++
Average lifespan	15000
EAN	8727900964875
Energy Consumption kWh/1000 h	3
Rated peak intensity (cd)	700 cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 50W GU5.3 CW 12V 36D ND

Product description	PILA LED 50W GU5.3 CW 12V 36D ND
Dimensions	50*46
Light output (lm)	700 lumen
Power (W)	8W
CCT (K)	4000K
Colour consistency	6 steps
CRI	90
Lumen maintenance	70%
Dimming	No
Voltage	12V
Voltage type	12V
Luminous intensity	700 lumen
Lamp shape	MR16
Colour	Cool white
Lamp current	710 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	46 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964851
Energy Consumption kWh/1000 h	9
Rated peak intensity (cd)	1400 cd
Average life (at 2.7 hrs/day)	0 mg



## Specifications - PILA LED 50W GU10 WW 36D ND

Product description	PILA LED 50W GU10 WW 36D ND
Light output (lm)	345
Power (W)	5,5
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Spot
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485200
null	/8718696485200_Pila_LED



## Specifications - PILA LED 65W GU10 WW 36D ND

Product description	PILA LED 65W GU10 WW 36D ND
Dimensions	50*56
Light output (lm)	460 lumen
Power (W)	5.5W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	460 lumen
Lamp shape	GU10
Colour	Warm white
Lamp current	45 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	56 mm
Energy efficiency class	A++
Average lifespan	15000h
EAN	8727900964592
Energy Consumption kWh/1000 h	6
Rated peak intensity (cd)	1054cd
Mercury content [in mg]	0mg





## Specifications - PILA LED 50W GU10 CW 60D ND

Product description	PILA LED 50W GU10 CW 60D ND
Light output (lm)	370
Power (W)	5,5
CCT (K)	4000
CRI	80
Dimming	No
Voltage	220-240/50Hz
Lamp shape	Spot
Colour	Cool White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696537015
null	/8718696537015_Pila_LED



## Specifications - PILA LED 50W GU10 WW 36D ND

Product description	PILA LED 50W GU10 WW 36D ND
Dimensions	50*54
Light output (lm)	380 lumen
Power (W)	4.7W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	380 lumen
Lamp shape	GU10
Colour	Warm white
Lamp current	38 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	54 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964516
Energy Consumption kWh/1000 h	5
Rated peak intensity (cd)	900 cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 60W E27 WW R63 36D DIM

Product description	PILA LED 60W E27 WW R63 36D DIM
Light output (lm)	380
Power (W)	5
CCT (K)	2700
CRI	80
Dimming	Yes
Voltage	220-240/50Hz
Lamp shape	Bulb
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696527092
null	/8718696527092_Pila_LED



## Specifications - PILA LED 35W GU10 WW 36D ND

Product description	PILA LED 35W GU10 WW 36D ND
Dimensions	50*54
Light output (lm)	250 lumen
Power (W)	3W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	250 lumen
Lamp shape	GU10
Colour	Warm white
Lamp current	27 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	54 mm
Energy efficiency class	A++
Average lifespan	15000h
EAN	8727900964479
Energy Consumption kWh/1000 h	3
Rated peak intensity (cd)	600cd
Mercury content [in mg]	0mg



## Specifications - PILA LED 35W GU10 WW 36D ND

Product description	PILA LED 35W GU10 WW 36D ND
Light output (lm)	230
Power (W)	3,3
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Spot
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485187
null	/8718696485187_Pila_LED



## Specifications - PILA LED 65W GU10 WW 36D ND

Product description	PILA LED 65W GU10 WW 36D ND
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50HZ
Lamp shape	Spot
Colour	Warm White
Average lifespan	15000
EAN	8718696534205





## Specifications - PILA LED 40W E14 WW R50 36D DIM

Product description	PILA LED 40W E14 WW R50 36D DIM
Power (W)	3,5
CCT (K)	2700
CRI	80
Dimming	Yes
Voltage	220-240V/50Hz
Lamp shape	Spot
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485422
null	/8718696485422_Pila_LED



## Specifications - PILA LED 65W GU10 CW 36D ND

Product description	PILA LED 65W GU10 CW 36D ND
Dimensions	50*56
Light output (lm)	460 lumen
Power (W)	5.5W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240v
Voltage type	220-240V
Luminous intensity	460 lumen
Lamp shape	GU10
Colour	Cool White
Lamp current	45 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	56 mm
Energy efficiency class	A++
Average lifespan	15000
EAN	8727900964615
Energy Consumption kWh/1000 h	6
Rated peak intensity (cd)	1110cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 35W GU5.3 CW 12V 36D ND

Product description	PILA LED 35W GU5.3 CW 12V 36D ND
Dimensions	50*46
Light output (lm)	420 lumen
Power (W)	4.5W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	12V
Voltage type	12V
Luminous intensity	420 lumen
Lamp shape	MR16
Colour	Cool white
Lamp current	550 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	46 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964837
Energy Consumption kWh/1000 h	6
Rated peak intensity (cd)	1000 cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 40W E14 WW R50 36D ND

Product description	PILA LED 40W E14 WW R50 36D ND
Dimensions	50*81
Power (W)	2.9W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Lamp shape	R50
Colour	Warm white
Lamp current	27 mA
Radiation angle	36 degree
Diameter	51 mm
Length	81 mm
Energy efficiency class	A++

## SPECIFICATIONS (continued)

Energy efficiency class	A++
Average lifespan	15000h
EAN	8727900964912
Energy Consumption kWh/1000 h	3
Rated peak intensity (cd)	530 cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 35W GU5.3 WW 12V 36D ND

Product description	PILA LED 35W GU5.3 WW 12V 36D ND
Dimensions	50*46
Light output (lm)	380 lumen
Power (W)	4.5W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	12V
Voltage type	12V
Luminous intensity	380 lumen
Lamp shape	MR16
Colour	Warm white
Lamp current	550 mA
Radiation angle	36 degree
Diameter	50 mm



## SPECIFICATIONS (continued)

Length	46 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964653
Energy Consumption kWh/1000 h	6
Rated peak intensity (cd)	900 cd
Mercury content [in mg]	0 mg



## Specifications - PILA LED 50W GU10 CDL 36D ND

Product description	PILA LED 50W GU10 CDL 36D ND
Dimensions	50*54
Light output (lm)	420 lumen
Power (W)	4.7W
CCT (K)	6500K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	420 lumen
Lamp shape	GU10
Colour	Warm white
Lamp current	38 mA
Radiation angle	36 degree
Diameter	50 mm

## SPECIFICATIONS (continued)

Length	54 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964530
Energy Consumption kWh/1000 h	5
Rated peak intensity (cd)	1000cd
Mercury content [in mg]	0 mg