

# MASTER PL-C 2 Pin

# MASTER PL-C 18W/840/2P 1CT

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.


## Product data

#### • General Characteristics

Cap-Base Cap-Base Information Life to 10% failures FM	G24d-2 2P 6500 hr
Life to 50% failures	10000 hr
LSF EM 2000h Rated,	<b>99</b> %
3h cycle LSF EM 4000h Rated,	98 %
3h cycle LSF EM 6000h Rated,	92 %
3h cycle LSF EM 8000h Rated, 3h cycle	78 %
Shicker	

#### • Light Technical Characteristics

Color Code Color Rendering Index	840 [CCT of 4000K] 82 Ra8
Color Designation (text)	Cool White
Color Temperature	4000 K
Luminous Flux EM 25°C, Rated	1200 Lm
Luminous Flux EM 25°C, Nominal	1200 Lm
Lum Efficacy Rated	67 Lm/VV
LLMF EM 2000h Bated	92 %
LLMF EM 4000h Bated	87 %
LLMF EM 6000h Rated	84 %



#### • Electrical Characteristics

Lamp Wattage Lamp Wattage EM	18 W 18 W
25°Ċ, Nominal Lamp Wattage EM	17.9 W
25°C, Rated Lamp Voltage EM	95 V
25°C Lamp Current EM 25°C	0.230 A
Dimmable	No

#### • Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	
Energy consumption	22 kWh
kWh/1000h	

### • Product Dimensions

Base Face to Base 109.7 (max) mm Face A Insertion Length B Overall Length C Diameter D

128.0 (max) mm 150.4 (max) mm 27.1 (max) mm





# MASTER PL-C 2 Pin

Diameter D1	27.1 (max) mm
Product Data	
Order code Full product code Full product name	927905784001 927905784001 MASTER PL-C 1

Order product nameMA<br/>5X\*Pieces per pack1Packing configuration5X\*Packs per outerbox50

927905784001 927905784001 MASTER PL-C 18W/840/2P 1CT MASTER PL-C 18W/840/2P 1CT/ 5X10CC 1 5X10CC 50


Bar code on pack - EAN1	8711500642721
Bar code on inter- mediate packing -	8711500621238
EAN2	
Bar code on	8711500630001
outerbox - EAN3	
Logistic code(s) -	927905784001
12NC	
ILCOS code	FSQ-18/40/1B-I-G24d=2
Net weight per piece	0.069 kg

• Dimming is not possible

# Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position


# Dimensional drawing



D1


### MASTER PL-C 18W/840/2P 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-C 18W/840/2P	109.7	128.0	150.4	27.1	27.1



G24d-2

# Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting