



MASTER HPI Plus

MASTER HPI Plus 400W/645 BU E40 1SL

Quartz metal halide lamps with opalized outer bulb

Product data

• General Characteristics

System Description	Base-Up
Cap-Base	E40
Bulb	BD120 [BD 120mm]
Bulb Finish	Coated
Operating Position	h [Hanging or Base Up (BU)]
Life to 5% failures	5000 hr
Life to 10% failures	7500 hr
Life to 20% failures	11000 hr
Life to 50% failures	20000 hr

• Light Technical Characteristics

Color Code	645 [CCT of 4500K]
Color Rendering Index	65 Ra8
Color Designation (text)	Cool White
Color Temperature	4500 K
Luminous Flux Lamp EM	32500 Lm
Luminous Efficacy Lamp EM	82 Lm/W
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	80 %
Lumen Maintenance 10000h	70 %
Lumen Maintenance 20000h	60 %
Chromaticity Coordinate X	367 -
Chromaticity Coordinate Y	374 -

• Electrical Characteristics

Lamp Wattage	400 W
Lamp Wattage EM 25°C, Nominal	400.0 W
Lamp Wattage EM 25°C, Rated	395.0 W
Lamp Voltage	125 V
Lamp Current EM	3.4 A
Ignition Time	10 (max) s
Dimmable	No

• Environmental Characteristics

Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content	67 mg
Energy consumption kWh/1000h	434 kWh

• Luminaire Design Requirements

Cap-Base Temperature	250 (max) C
Bulb Temperature	350 (max) C

• Product Dimensions

Overall Length C	290 (max) mm
Diameter D	122 (max) mm

• Product Data

Order code	928481100092
Full product code	928481100092
Full product name	MASTER HPI Plus 400W/645 BU E40 1SL

PHILIPS

MASTER HPI Plus

Order product name MASTER HPI Plus 400W/645 BU E40 1SL/6
Pieces per pack 1
Packing configuration 6
Packs per outerbox 6
Bar code on pack - EAN1 8711500203373



Bar code on outerbox - EAN3 8711500203380
Logistic code(s) - 12NC 928481100092
Net weight per piece 0.265 kg

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury or sodium lamps

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Dimensional drawing





E40

MASTER HPI Plus 400W/645 BU E40 1SL

Product	C (Max)	D (Max)
HPI Plus 400W/645 BU E40	290	122

Photometric data



© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, June 18
data subject to change