



Specifications - PILA LED 60W E27 WW A60 ND

Product description	PILA LED 60W E27 WW A60 ND
Light output (lm)	806
Power (W)	9,5
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Bulb
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485385
null	/8718696485385_Pila_EEL



Specifications - PILA LED 15W E14 WW T25 ND

Product description	PILA LED 15W E14 WW T25 ND
Light output (lm)	140
Power (W)	15
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Spot
Colour	Warm White
Energy efficiency class	A++
Average lifespan	15000
EAN	8718696485408
null	/8718696485408_Pila_EEL



Specifications - PILA LED 40W A60 E27 WW FR DIM 1CT/6

Product description	PILA LED 40W A60 E27 WW FR DIM 1CT/6
Dimensions	60*108
Light output (lm)	470 lumen
Power (W)	6W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	Yes
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	470 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	37 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964318
Energy Consumption kWh/1000 h	6W
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 60W A60 E27 WW FR DIM 1CT/6

Product description	PILA LED 60W A60 E27 WW FR DIM 1CT/6
Dimensions	60*108
Light output (lm)	1055 lumen
Power (W)	9W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	Yes
Voltage	220-240
Voltage type	220-240V
Luminous intensity	1055 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	55 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964332
Energy Consumption kWh/1000 h	9W
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 60W E27 CW A60 ND

Product description	PILA LED 60W E27 CW A60 ND
Light output (lm)	850
Power (W)	9,5
CCT (K)	4000
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Bulb
Colour	Cool White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696491089
null	/8718696491089_Pila_EEL



Specifications - PILA LED 75W A60 E27 CW FR ND 1CT/6

Product description	PILA LED 75W A60 E27 CW FR ND 1CT/6
Dimensions	60*108
Light output (lm)	1100 lumen
Power (W)	10W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	1100 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Cool white
Lamp current	85 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964134
Energy Consumption kWh/1000 h	10
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 100W A67 E27 CW FR ND 1CT/6

Product description	PILA LED 100W A67 E27 CW FR ND 1CT/6
Dimensions	65*120
Light output (lm)	1521 lumen
Power (W)	13W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	1521 lumen
Lamp shape	A67
Type of glass/cover	Frosted
Colour	Cool white
Lamp current	100 mA
Diameter	65 mm

SPECIFICATIONS (continued)

Diameter	65 mm
Length	120 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964714
Mercury content [in mg]	0 mg



Specifications - PILA LED 60W A60 E27 WW FR ND 1CT/6

Product description	PILA LED 60W A60 E27 WW FR ND 1CT/6
Dimensions	60*110.7
Light output (lm)	810 lumen
Power (W)	8W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	200-240V
Voltage type	200-240V
Luminous intensity	810 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	78 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Length	110.7 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964073
Energy Consumption kWh/1000 h	8
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 40W A60 E27 CW FR ND 1CT/6

Product description	PILA LED 40W A60 E27 CW FR ND 1CT/6
Dimensions	60*108
Light output (lm)	500 lumen
Power (W)	6W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240
Voltage type	220-240
Luminous intensity	500 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Cool white
Lamp current	55 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964059
Energy Consumption kWh/1000 h	6
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 75W A60 E27 WW FR DIM 1CT/6

Product description	PILA LED 75W A60 E27 WW FR DIM 1CT/6
Dimensions	60*108
Light output (lm)	1055 lumen
Power (W)	10.5W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	Yes
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	1055 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	65 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964356
Energy Consumption kWh/1000 h	11
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 40W A60 E27 WW FR ND 1CT/6

Product description	PILA LED 40W A60 E27 WW FR ND 1CT/6
Dimensions	60*108
Light output (lm)	470 lumen
Power (W)	6W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	470 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	55 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964035
Energy Consumption kWh/1000 h	6
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - Pila LEDClassic 40W A60 E27 WW ND 1CT/1

Product description	Pila LEDClassic 40W A60 E27 WW ND 1CT/1
Dimensions	60*110
Light output (lm)	470 lumen
Power (W)	5W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	470 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	35 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Length	110 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900963915
Energy Consumption kWh/1000 h	5
Mercury content [in mg]	0 mg



Specifications - PILA LED 100W E27 WW A67 FR ND

Product description	PILA LED 100W E27 WW A67 FR ND
Light output (lm)	1521
Power (W)	15,5
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240/50Hz
Lamp shape	Bulb
Type of glass/cover	Frosted
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696526934
null	/8718696526934_Pila_EEL



Specifications - Pila LEDClassic 60W A60 E27 WW ND 1CT/10

Product description	Pila LEDClassic 60W A60 E27 WW ND 1CT/10
Dimensions	60*110
Light output (lm)	806 lumen
Power (W)	7W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	806 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	50 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Length	110 mm
Energy efficiency class	A++
Average lifespan	15000h
EAN	8727900963939
Energy Consumption kWh/1000 h	7
Mercury content [in mg]	0mg



Specifications - PILA LED 100W A67 E27 WW FR ND 1CT/6

Product description	PILA LED 100W A67 E27 WW FR ND 1CT/6
Dimensions	65*120
Light output (lm)	1521 lumen
Power (W)	14W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	1521 lumen
Lamp shape	A67
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	110 mA
Diameter	65 mm

SPECIFICATIONS (continued)

Length	120 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900963977
Energy Consumption kWh/1000 h	14
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 75W E27 WW A60 FR ND

Product description	PILA LED 75W E27 WW A60 FR ND
Light output (lm)	1055
Power (W)	12
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240/50Hz
Lamp shape	Bulb
Type of glass/cover	Frosted
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696526910
null	/8718696526910_Pila_EEL



Specifications - PILA LED 40W E27 CW A60 ND

Product description	PILA LED 40W E27 CW A60 ND
Light output (lm)	500
Power (W)	5,5
CCT (K)	4000
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Bulb
Colour	Cool White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696491065
null	/8718696491065_Pila_EEL



Specifications - PILA LED 40W E27 WW A60 ND

Product description	PILA LED 40W E27 WW A60 ND
Light output (lm)	470
Power (W)	5,5
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Bulb
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485361
null	/8718696485361_Pila_LED



Specifications - PILA LED 60W A60 E27 CW FR ND 1CT/6

Product description	PILA LED 60W A60 E27 CW FR ND 1CT/6
Dimensions	60*109.6
Light output (lm)	810 lumen
Power (W)	7.5W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	200-240V
Voltage type	200-240V
Luminous intensity	810 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Cool white
Lamp current	72 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Length	109.6 mm
Energy efficiency class	a+
Average lifespan	15000h
EAN	8727900964097
Energy Consumption kWh/1000 h	8
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg



Specifications - PILA LED 75W A60 E27 WW FR ND 1CT/6

Product description	PILA LED 75W A60 E27 WW FR ND 1CT/6
Dimensions	60*108
Light output (lm)	1055 lumen
Power (W)	10W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	1055 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	85 mA
Diameter	60 mm

SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964110
Energy Consumption kWh/1000 h	10
Average life (at 2.7 hrs/day)	15 year
Mercury content [in mg]	0 mg



Specifications - PILA LED 25W E14 WW B35 FR ND

Product description	PILA LED 25W E14 WW B35 FR ND
Light output (lm)	250
Power (W)	3,2
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Candle
Type of glass/cover	Frosted
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485248
null	/8718696485248_Pila_EEL



Specifications - PILA LED 25W B35 E14 WW FR ND 1CT/10

Product description	PILA LED 25W B35 E14 WW FR ND 1CT/10
Dimensions	35*106
Light output (lm)	250 lumen
Power (W)	3.2W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240
Voltage type	220-240V
Luminous intensity	250 lumen
Lamp shape	B35
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	30 mA
Diameter	35 mm

SPECIFICATIONS (continued)

Diameter	35 mm
Length	106 mm
Energy efficiency class	A+
Average lifespan	15000 h
EAN	8727900964158
Energy Consumption kWh/1000 h	4
Mercury content [in mg]	0 mg



Specifications - PILA LED 40W B35 E14 WW FR ND 1CT/10

Product description	PILA LED 40W B35 E14 WW FR ND 1CT/10
Dimensions	35*106
Light output (lm)	470 lumen
Power (W)	5.5
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	470 lumen
Lamp shape	B35
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	45 mA
Diameter	35 mm

SPECIFICATIONS (continued)

Diameter	35 mm
Length	106 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964196
Energy Consumption kWh/1000 h	6
Mercury content [in mg]	0 mg



Specifications - PILA LED 25W E14 WW B35 CL ND

Product description	PILA LED 25W E14 WW B35 CL ND
Light output (lm)	250
Power (W)	3,3
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Candle
Type of glass/cover	Clear
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485224
null	/8718696485224_Pila_EEL



Specifications - PILA LED 40W B35 E14 WW FR DIM 1CT/10

Product description	PILA LED 40W B35 E14 WW FR DIM 1CT/10
Dimensions	35*103
Light output (lm)	470 lumen
Power (W)	6W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	Yes
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	470 lumen
Lamp shape	B35
Type of glass/cover	Frosted
Colour	Warm white
Lamp current	30 mA
Diameter	35 mm

SPECIFICATIONS (continued)

Diameter	35 mm
Length	106 mm
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696549230
Energy Consumption kWh/1000 h	6
Mercury content [in mg]	0 mg



Specifications - PILA LED 40W E14 WW B35 FR ND

Product description	PILA LED 40W E14 WW B35 FR ND
Light output (lm)	470
Power (W)	5,5
CCT (K)	2700
CRI	80
Dimming	No
Voltage	220-240V/50Hz
Lamp shape	Candle
Type of glass/cover	Frosted
Colour	Warm White
Energy efficiency class	A+
Average lifespan	15000
EAN	8718696485262
null	/8718696485262_Pila_LED



Specifications - PILA LED 40W E14 WW B35 FR DIM

Product description	PILA LED 40W E14 WW B35 FR DIM
Dimming	Yes
Lamp shape	Candle
Type of glass/cover	Frosted
Colour	Warm White
EAN	8718696549230



Specifications - PILA LED 25W B35 E14 WW CL ND 1CT/10

Product description	PILA LED 25W B35 E14 WW CL ND 1CT/10
Dimensions	35*106
Light output (lm)	250 lumen
Power (W)	3.2W
CCT (K)	2700K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	250 lumen
Lamp shape	B35
Type of glass/cover	Clear
Colour	Warm white
Lamp current	30 mA
Diameter	35 mm

SPECIFICATIONS (continued)

Diameter	35 mm
Length	106 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964172
Energy Consumption kWh/1000 h	4
Mercury content [in mg]	0 mg