

SAFETY DATA SHEET

Regulation (EC) No 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 2015/830)

Issue date 03-Jan-2019
Revision date 03-Jan-2019

SECTION 1: Identification of the substance /mixture and of the company/undertaking

1.1. Product identifier

Product name RTV silicone sealant(Gasket Maker)

1.2. Details of the supplier of the safety data sheet

Supplier HUZHOU GUONENG NEW MATERIAL CO.,LTD

Address NO.1-4#,1518MENGXI ROAD,HUZHOU,ZHEJIANG,CHINA

Postal code 313000

 Phone
 0086-572-2109399

 Fax
 0086-572-2352225

 E-mail
 Sales@chemtg.com

1.3. Emergency telephone number

0086-572-2352225

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation Category 3 - (H316)

2.2. Label elements

Symbols/Pictograms




Signal word Warning

Hazard statements H316-Causes mild skin irritation

Precautionary statements P302+P352-IF ON SKIN:Wash with plenty of soap

and water

P305+P351+P338-IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses.if present and easy to do.Continue rinsing.





P332+P313-IF skin irritation or rash occurs: Get

medical advice/attention

P337+P313-IF eye irritation persists:Get medical

advice/attention.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Mixture

| Chemical name | EC No | CAS No | Weight-% | Classificationaccording | | |
|---------------------|-----------|------------|----------|--|--|--|
| | | | | to Regulation (EC) No. 1272/2008 [CLP] | | |
| Dimethyl siloxanes | - | 31692-79-2 | 40-45 | Not classified | | |
| Calcium carbonate | 207-439-9 | 471-34-1 | 20-35 | Not classified | | |
| Limestone | - | 1317-65-3 | 15-25 | Not classified | | |
| Vinyl oximinosilane | 218-747-8 | 2224-33-1 | <5 | Not classified | | |
| Stearic acid | 200-313-4 | 57-11-4 | <2 | Skin Irrit. 3 H316 | | |

SECTION 4: First aid measures

Ingestion: Rinse mouth. If swallowed, DO NOT induce

vomiting. Keep individual calm. Obtain medical

attention.

Inhalation: Move to fresh air in case of accidental inhalation of

vapours. If symptoms persist, call a physician.

Skin Contact: Wipe off material with paper towel or cloth. Wash

off with soap and water. If skin irritation persists,

call a physician.

Eye Contact: In case of contact, immediately flush eyes with

plenty of water for at least 15 minutes and get

medical attention if irritation persists.

SECTION 5: Firefighting measures

Flash Point °F(C°): >200°F TCC

Recommended Extinguishing Media: Carbon Dioxide, Dry Chemicals, Foam.

Special Fire-Fighting Procedures: Water spray may be ineffective on flames but

should be used to keep fireexposed

containers cool.

Hazardous Products of Combustion: Oxides of carbon, Oxides of nitrogen, Methyl ethyl

ketone, possibly methyl ethyl ketoxime, Silica fume,

Formaldehyde



Product name:RTV silicone sealant(Gasket Maker)

Unusual Fire/Explosion Hazards: None.

Lower Explosive Limit: Not determined Upper Explosive Limit: Not determined

SECTION 6: Accidental release measures

Spill Procedures: Wipe or scrape up spill material. Maintain good

ventilation for large spills. Place scrap material in a wellventilated area and allow to cure to rubber.

Clean up spills thoroughly as residue is

slippery.

SECTION 7: Handling and storage

Storage: Keep containers tightly closed in a cool,

well-ventilated place. Store away from water or

moisture.

Handling: Avoid contact with skin and eyes. Do not wear

contact lenses. Wash hands before eating and

smoking.

Product may cause surfaces to become slippery.

SECTION 8: Exposure controls/personal protection

Eyes: Safety glasses.

Skin: Neoprene or nitrile gloves recommended.

Ventilation: General; local exhaust ventilation as necessary to

control any air contaminants to within thei exposure limits (or to the lowest feasible levels when limits have not been the established) during use of this

product.

Respiratory Protection: An approved organic vapor respirator should be

worn when exposures are expected to exceed the

applicable limits.

SECTION 9: Physical and chemical properties

Appearance: Paste

Color: Grey , black, white, clear

Special Gravity: 0.95~1.05

Melting point:Not determinedBoiling point:Not determinedFlash point:Not determined





Explosive limits: Not determined

Vapor Density: 1.04

Solubility in water: Not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: Toxicological information

Eye Contact:No Data AvailableSubchronic effects:No Data availableCarcinogenicity, tertogenicity and mutagenicity:No data available.Other chronic effects:None Known.

| Component | Oral LD50(rat) | Dermal LD50 (rabbit) | Inhalation LC50 4hr (rat) | |
|--------------------|--------------------|----------------------------|---------------------------|--|
| Dimethyl siloxanes | 22 g/kg (Rat) | > 20 g/kg (Rabbit) > 20 | 171 mg/L (rat) | |
| 31692-79-2 | | mL/kg (Rabbit) | | |
| Calcium carbonate | 10250 mg/kg (rat, | 3 g/kg (rat, carbomer 910) | | |
| 471-34-1 | carbomer 910) | | | |
| | 4100 mg/kg (rat) | | | |
| Stearic acid | = 3310 mg/kg (Rat) | = 1060 mg/kg (Rabbit) | = 114 mg/L (Rat)4 h | |
| 57-11-4 | | | | |

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.



12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with

applicable regional, national and local

laws and regulations.

Contaminated packaging Disposal should be in accordance with

applicable regional, national and local

laws and regulations.

SECTION 14: Transport information

14.1. UN numberNot regulated14.2. UN proper shipping nameNot regulated14.3. Transport hazard class(es)Not regulated14.4. Packing groupNot regulated14.7. Special precautions for userNot regulated14.6. Transport in bulk according toNot regulated

Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureEuropean Union

| Component | EINECS/ELINCS | SVHC candidates | RESTRICTIONS - REACH | | |
|---------------------|---------------|-----------------|----------------------|--|--|
| | | | TITLE VIII | | |
| Dimethyl siloxanes | × | - | - | | |
| 31692-79-2 | | | | | |
| Calcium carbonate | × | - | - | | |
| 471-34-1 | | | | | |
| Vinyl oximinosilane | × | - | - | | |
| 2224-33-1 | | | | | |
| Stearic acid | × | - | - | | |
| 57-11-4 | | | | | |



Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

International inventories

| Component | TSCA | DSL/NDSL | ENCS | IECSC | KECL | PICCS | AICS |
|---------------------|------|----------|------|-------|------|-------|------|
| Dimethyl siloxanes | × | × | × | × | × | × | × |
| 31692-79-2 | | | | | | | |
| Calcium carbonate | × | × | × | × | × | × | × |
| 471-34-1 | | | | | | | |
| Vinyl oximinosilane | × | × | × | × | × | × | × |
| 2224-33-1 | | | | | | | |
| Stearic acid | × | × | × | × | × | × | × |
| 57-11-4 | | | | | | | |

[&]quot;-" Not Listed

SECTION 16: Other information

Material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Issue date03-Jan-2019Revision date03-Jan-2019Revision noteNot applicable

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, GUONENG NEW MATERIAL does not assume responsibility for any results obtained by persons over whose methods GUONENG NEW MATERIAL has no control. It is the user's responsibility to determine the suitability of GUONENG NEW MATERIAL's products or anyproduction methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of GUONENG NEW MATERIAL's products. In light of the foregoing, GUONENG NEW MATERIAL specifically disclaims all warranties, express orimplied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of GUONENG NEW MATERIAL 's products. GUONENG NEW MATERIAL further disclaims any liability for consequential or incidental damages of anykind, including lost profits.

[&]quot;X" Listed