

GEWISS








Table of Contents

DomoticsPowerBuilding.pdf - page12	3
DomoticsPowerBuilding.pdf - page14	4
DomoticsPowerBuilding.pdf - page16	5
DomoticsPowerBuilding.pdf - page18	6
DomoticsPowerBuilding.pdf - page20	7
DomoticsPowerBuilding.pdf - page22	8
DomoticsPowerBuilding.pdf - page24	9
DomoticsPowerBuilding.pdf - page26	10
DomoticsPowerBuilding.pdf - page28	11
DomoticsPowerBuilding.pdf - page30	12
DomoticsPowerBuilding.pdf - page32	13
DomoticsPowerBuilding.pdf - page34	14
DomoticsPowerBuilding.pdf - page36	15
DomoticsPowerBuilding.pdf - page38	16
DomoticsPowerBuilding.pdf - page40	17
DomoticsPowerBuilding.pdf - page42	18
DomoticsPowerBuilding.pdf - page60	19
DomoticsPowerBuilding.pdf - page61	20
DomoticsPowerBuilding.pdf - page62	21
DomoticsPowerBuilding.pdf - page63	22
DomoticsPowerBuilding.pdf - page63	23
DomoticsPowerBuilding.pdf - page64	24
DomoticsPowerBuilding.pdf - page65	25
DomoticsPowerBuilding.pdf - page68	26
DomoticsPowerBuilding.pdf - page69	27
DomoticsPowerBuilding.pdf - page70	28
DomoticsPowerBuilding.pdf - page71	29
DomoticsPowerBuilding.pdf - page72	30
DomoticsPowerBuilding.pdf - page73	31
DomoticsPowerBuilding.pdf - page74	32
DomoticsPowerBuilding.pdf - page75	33

ONE INTERNATIONAL PLATES

Technopolymer	MILK WHITE		IVORY		TITANIUM	
						
	GW 16 122 TB	2 gang	GW 16 122 TI	2 gang	GW 16 122 VT	2 gang
	GW 16 123 TB	2+2 horizontal gang	GW 16 123 TI	2+2 horizontal gang	GW 16 123 VT	2+2 horizontal gang
	GW 16 124 TB	2+2 vertical gang	GW 16 124 TI	2+2 vertical gang	GW 16 124 VT	2+2 vertical gang
	GW 16 125 TB	2+2 vertical gang 57 mm	GW 16 126 TI	2+2+2 horizontal gang	GW 16 126 VT	2+2+2 horizontal gang
	GW 16 126 TB	2+2+2 horizontal gang	GW 16 127 TI	2+2+2 vertical gang	GW 16 127 VT	2+2+2 vertical gang
	GW 16 127 TB	2+2+2 vertical gang	GW 16 128 TI	2+2+2+2 horizontal gang	GW 16 128 VT	2+2+2+2 horizontal gang
	GW 16 128 TB	2+2+2+2 horizontal gang	GW 16 129 TI	2+2+2+2 vertical gang	GW 16 129 VT	2+2+2+2 vertical gang
	GW 16 129 TB	2+2+2+2 vertical gang				
Painted technopolymer	TONER BLACK		HEMP		SLATE	
						
	GW 16 122 TN	2 gang	GW 16 122 TC	2 gang	GW 16 122 VA	2 gang
	GW 16 123 TN	2+2 horizontal gang	GW 16 123 TC	2+2 horizontal gang	GW 16 123 VA	2+2 horizontal gang
	GW 16 124 TN	2+2 vertical gang	GW 16 124 TC	2+2 vertical gang	GW 16 124 VA	2+2 vertical gang
	GW 16 126 TN	2+2+2 horizontal gang	GW 16 126 TC	2+2+2 horizontal gang	GW 16 126 VA	2+2+2 horizontal gang
	GW 16 127 TN	2+2+2 vertical gang	GW 16 127 TC	2+2+2 vertical gang	GW 16 127 VA	2+2+2 vertical gang
	GW 16 128 TN	2+2+2+2 horizontal gang	GW 16 128 TC	2+2+2+2 horizontal gang	GW 16 128 VA	2+2+2+2 horizontal gang
	GW 16 129 TN	2+2+2+2 vertical gang	GW 16 129 TC	2+2+2+2 vertical gang	GW 16 129 VA	2+2+2+2 vertical gang

GEO INTERNATIONAL PLATES

Technopolymer

MILK WHITE



GW 16 422 TB	2 gang
GW 16 423 TB	2+2 horizontal gang
GW 16 424 TB	2+2 vertical gang
GW 16 426 TB	2+2+2 horizontal gang
GW 16 427 TB	2+2+2 vertical gang

IVORY



GW 16 422 TI	2 gang
GW 16 423 TI	2+2 horizontal gang
GW 16 424 TI	2+2 vertical gang
GW 16 426 TI	2+2+2 horizontal gang
GW 16 427 TI	2+2+2 vertical gang

TITANIUM



GW 16 422 VT	2 gang
GW 16 423 VT	2+2 horizontal gang
GW 16 424 VT	2+2 vertical gang
GW 16 426 VT	2+2+2 horizontal gang
GW 16 427 VT	2+2+2 vertical gang

TONER BLACK



GW 16 422 TN	2 gang
GW 16 423 TN	2+2 horizontal gang
GW 16 424 TN	2+2 vertical gang
GW 16 426 TN	2+2+2 horizontal gang
GW 16 427 TN	2+2+2 vertical gang

HEMP



GW 16 422 TC	2 gang
GW 16 423 TC	2+2 horizontal gang
GW 16 424 TC	2+2 vertical gang
GW 16 426 TC	2+2+2 horizontal gang
GW 16 427 TC	2+2+2 vertical gang

SLATE



GW 16 422 VA	2 gang
GW 16 423 VA	2+2 horizontal gang
GW 16 424 VA	2+2 vertical gang
GW 16 426 VA	2+2+2 horizontal gang
GW 16 427 VA	2+2+2 vertical gang

Painted technopolymer

14

For customized plates please contact our GEWISS Sales Organization

LUX INTERNATIONAL PLATES

Technopolymer

MILK WHITE

MONOCHROME MILK WHITE

GW 16 222 TB	2 gang	GW 16 222 YB
GW 16 223 TB	2+2 horizontal gang	GW 16 223 YB
GW 16 224 TB	2+2 vertical gang	GW 16 224 YB
GW 16 225 TB	2+2 vertical gang 57 mm	
GW 16 226 TB	2+2+2 horizontal gang	GW 16 226 YB
GW 16 227 TB	2+2+2 vertical gang	GW 16 227 YB
GW 16 228 TB	2+2+2+2 horizontal gang	GW 16 228 YB
GW 16 229 TB	2+2+2+2 vertical gang	GW 16 229 YB

TONER BLACK

GW 16 222 TN	2 gang
GW 16 223 TN	2+2 horizontal gang
GW 16 224 TN	2+2 vertical gang
GW 16 226 TN	2+2+2 horizontal gang
GW 16 227 TN	2+2+2 vertical gang
GW 16 228 TN	2+2+2+2 horizontal gang
GW 16 229 TN	2+2+2+2 vertical gang

Painted technopolymer

TITANIUM

GW 16 222 VT	2 gang
GW 16 223 VT	2+2 horizontal gang
GW 16 224 VT	2+2 vertical gang
GW 16 226 VT	2+2+2 horizontal gang
GW 16 227 VT	2+2+2 vertical gang
GW 16 228 VT	2+2+2+2 horizontal gang
GW 16 229 VT	2+2+2+2 vertical gang

SLATE

GW 16 222 VA	2 gang
GW 16 223 VA	2+2 horizontal gang
GW 16 224 VA	2+2 vertical gang
GW 16 226 VA	2+2+2 horizontal gang
GW 16 227 VA	2+2+2 vertical gang
GW 16 228 VA	2+2+2+2 horizontal gang
GW 16 229 VA	2+2+2+2 vertical gang

Metallised technopolymer

CHROME

GW 16 222 MC	2 gang
GW 16 223 MC	2+2 horizontal gang
GW 16 224 MC	2+2 vertical gang
GW 16 226 MC	2+2+2 horizontal gang
GW 16 227 MC	2+2+2 vertical gang
GW 16 228 MC	2+2+2+2 horizontal gang
GW 16 229 MC	2+2+2+2 vertical gang

GOLD

GW 16 222 MO	2 gang
GW 16 223 MO	2+2 horizontal gang
GW 16 224 MO	2+2 vertical gang
GW 16 226 MO	2+2+2 horizontal gang
GW 16 227 MO	2+2+2 vertical gang
GW 16 228 MO	2+2+2+2 horizontal gang
GW 16 229 MO	2+2+2+2 vertical gang

Technopolymer - Wood finish

MAPLE

GW 16 222 LA	2 gang
GW 16 223 LA	2+2 horizontal gang
GW 16 224 LA	2+2 vertical gang
GW 16 226 LA	2+2+2 horizontal gang
GW 16 227 LA	2+2+2 vertical gang
GW 16 228 LA	2+2+2+2 horizontal gang
GW 16 229 LA	2+2+2+2 vertical gang

WENGE

GW 16 222 LW	2 gang
GW 16 223 LW	2+2 horizontal gang
GW 16 224 LW	2+2 vertical gang
GW 16 226 LW	2+2+2 horizontal gang
GW 16 227 LW	2+2+2 vertical gang
GW 16 228 LW	2+2+2+2 horizontal gang
GW 16 229 LW	2+2+2+2 vertical gang

CHERRY

GW 16 222 LC	2 gang
GW 16 223 LC	2+2 horizontal gang
GW 16 224 LC	2+2 vertical gang
GW 16 226 LC	2+2+2 horizontal gang
GW 16 227 LC	2+2+2 vertical gang
GW 16 228 LC	2+2+2+2 horizontal gang
GW 16 229 LC	2+2+2+2 vertical gang

BLACK

GW 16 222 PN	2 gang
GW 16 223 PN	2+2 horizontal gang
GW 16 224 PN	2+2 vertical gang
GW 16 226 PN	2+2+2 horizontal gang
GW 16 227 PN	2+2+2 vertical gang
GW 16 228 PN	2+2+2+2 horizontal gang
GW 16 229 PN	2+2+2+2 vertical gang

WHITE

GW 16 222 PB	2 gang
GW 16 223 PB	2+2 horizontal gang
GW 16 224 PB	2+2 vertical gang
GW 16 226 PB	2+2+2 horizontal gang
GW 16 227 PB	2+2+2 vertical gang
GW 16 228 PB	2+2+2+2 horizontal gang
GW 16 229 PB	2+2+2+2 vertical gang

RUBY

GW 16 222 PR	2 gang
GW 16 223 PR	2+2 horizontal gang
GW 16 224 PR	2+2 vertical gang
GW 16 226 PR	2+2+2 horizontal gang
GW 16 227 PR	2+2+2 vertical gang
GW 16 228 PR	2+2+2+2 horizontal gang
GW 16 229 PR	2+2+2+2 vertical gang

Technopolymer - Leather finish

For customized plates please contact our GEWISS Sales Organization

ONE PLATES

Technopolymer

MILK WHITE



GW 16 101 TB	1 gang
GW 16 102 TB	2 gang
GW 16 103 TB	3 gang
GW 16 104 TB	4 gang
GW 16 106 TB	6 gang
GW 16 108 TB	4+4 gang
GW 16 112 TB	6+6 gang

IVORY



GW 16 101 TI	1 gang
GW 16 102 TI	2 gang
GW 16 103 TI	3 gang
GW 16 104 TI	4 gang
GW 16 106 TI	6 gang

TITANIUM



GW 16 101 VT	1 gang
GW 16 102 VT	2 gang
GW 16 103 VT	3 gang
GW 16 104 VT	4 gang
GW 16 106 VT	6 gang
GW 16 108 VT	4+4 gang
GW 16 112 VT	6+6 gang

TONER BLACK



GW 16 101 TN	1 gang
GW 16 102 TN	2 gang
GW 16 103 TN	3 gang
GW 16 104 TN	4 gang
GW 16 106 TN	6 gang

HEMP



GW 16 101 TC	1 gang
GW 16 102 TC	2 gang
GW 16 103 TC	3 gang
GW 16 104 TC	4 gang
GW 16 106 TC	6 gang

Painted technopolymer

SLATE



GW 16 101 VA	1 gang
GW 16 102 VA	2 gang
GW 16 103 VA	3 gang
GW 16 104 VA	4 gang
GW 16 106 VA	6 gang

OPAL ORANGE



GW 16 103 TO	3 gang
GW 16 104 TO	4 gang

SAPPHIRE PINK



GW 16 103 TZ	3 gang
GW 16 104 TZ	4 gang

SATIN BLACK



GW 16 103 VN	3 gang
GW 16 104 VN	4 gang
GW 16 106 VN	6 gang

CARIBBEAN BLUE



GW 16 103 TL	3 gang
GW 16 104 TL	4 gang

TOPAZ BLUE



GW 16 103 TT	3 gang
GW 16 104 TT	4 gang

AMETHYST PURPLE



GW 16 103 TA	3 gang
GW 16 104 TA	4 gang

For customized plates please contact our GEWISS Sales Organization

GEO PLATES

Technopolymer

MILK WHITE



GW 16 401 TB	1 gang
GW 16 402 TB	2 gang
GW 16 403 TB	3 gang
GW 16 404 TB	4 gang
GW 16 406 TB	6 gang

IVORY



GW 16 401 TI	1 gang
GW 16 402 TI	2 gang
GW 16 403 TI	3 gang
GW 16 404 TI	4 gang
GW 16 406 TI	6 gang

TITANIUM



GW 16 401 VT	1 gang
GW 16 402 VT	2 gang
GW 16 403 VT	3 gang
GW 16 404 VT	4 gang
GW 16 406 VT	6 gang

TONER BLACK



GW 16 401 TN	1 gang
GW 16 402 TN	2 gang
GW 16 403 TN	3 gang
GW 16 404 TN	4 gang
GW 16 406 TN	6 gang

HEMP



GW 16 401 TC	1 gang
GW 16 402 TC	2 gang
GW 16 403 TC	3 gang
GW 16 404 TC	4 gang
GW 16 406 TC	6 gang

SLATE



GW 16 401 VA	1 gang
GW 16 402 VA	2 gang
GW 16 403 VA	3 gang
GW 16 404 VA	4 gang
GW 16 406 VA	6 gang

OPAL ORANGE



GW 16 403 TO	3 gang
GW 16 404 TO	4 gang

SAPPHIRE PINK



GW 16 403 TZ	3 gang
GW 16 404 TZ	4 gang

SATIN BLACK



GW 16 403 VN	3 gang
GW 16 404 VN	4 gang
GW 16 406 VN	6 gang

CARIBBEAN BLUE



GW 16 403 TL	3 gang
GW 16 404 TL	4 gang

TOPAZ BLUE



GW 16 403 TT	3 gang
GW 16 404 TT	4 gang

AMETHYST PURPLE



GW 16 403 TA	3 gang
GW 16 404 TA	4 gang

Painted technopolymer

For customized plates please contact our GEWISS Sales Organization

Chorus

LUX PLATES

Technopolymer	MILK WHITE		Painted technopolymer	TITANIUM		Metalised technopolymer	CHROME	
								
	GW 16 202 TB 2 gang			GW 16 202 VT 2 gang			GW 16 202 MC 2 gang	
	GW 16 203 TB 3 gang			GW 16 203 VT 3 gang			GW 16 203 MC 3 gang	
	GW 16 204 TB 4 gang			GW 16 204 VT 4 gang			GW 16 204 MC 4 gang	
	GW 16 206 TB 6 gang			GW 16 206 VT 6 gang			GW 16 206 MC 6 gang	
	TONER BLACK			SLATE			GOLD	
								
	GW 16 202 TN 2 gang			GW 16 202 VA 2 gang			GW 16 202 MO 2 gang	
	GW 16 203 TN 3 gang			GW 16 203 VA 3 gang			GW 16 203 MO 3 gang	
	GW 16 204 TN 4 gang			GW 16 204 VA 4 gang			GW 16 204 MO 4 gang	
	GW 16 206 TN 6 gang			GW 16 206 VA 6 gang			GW 16 206 MO 6 gang	
Wood	MAPLE			WENGE			CHERRY	
								
	GW 16 202 LA 2 gang			GW 16 202 LW 2 gang			GW 16 202 LC 2 gang	
	GW 16 203 LA 3 gang			GW 16 203 LW 3 gang			GW 16 203 LC 3 gang	
	GW 16 204 LA 4 gang			GW 16 204 LW 4 gang			GW 16 204 LC 4 gang	
	GW 16 206 LA 6 gang			GW 16 206 LW 6 gang			GW 16 206 LC 6 gang	
Leather	BLACK			WHITE			RUBY	
								
	GW 16 202 PN 2 gang			GW 16 202 PB 2 gang			GW 16 202 PR 2 gang	
	GW 16 203 PN 3 gang			GW 16 203 PB 3 gang			GW 16 203 PR 3 gang	
	GW 16 204 PN 4 gang			GW 16 204 PB 4 gang			GW 16 204 PR 4 gang	
	GW 16 206 PN 6 gang			GW 16 206 PB 6 gang			GW 16 206 PR 6 gang	
Glass	ICE			AQUAMARINE			OCHRE	
								
	GW 16 202 CG 2 gang			GW 16 202 CA 2 gang			GW 16 202 CO 2 gang	
	GW 16 203 CG 3 gang			GW 16 203 CA 3 gang			GW 16 203 CO 3 gang	
	GW 16 204 CG 4 gang			GW 16 204 CA 4 gang			GW 16 204 CO 4 gang	
	GW 16 206 CG 6 gang			GW 16 206 CA 6 gang			GW 16 206 CO 6 gang	

For customized plates please contact our GEWISS Sales Organization

ART PLATES

Technopolymer

MILK WHITE



GW 16 302 TB

2 gang

GW 16 303 TB

3 gang

GW 16 304 TB

4 gang

TITANIUM



GW 16 302 VT

2 gang

GW 16 303 VT

3 gang

GW 16 304 VT

4 gang

CHROME



GW 16 302 MC

2 gang

GW 16 303 MC

3 gang

GW 16 304 MC

4 gang

TONER BLACK



GW 16 302 TN

2 gang

GW 16 303 TN

3 gang

GW 16 304 TN

4 gang

SLATE



GW 16 302 VA

2 gang

GW 16 303 VA

3 gang

GW 16 304 VA

4 gang

GOLD



GW 16 302 MO

2 gang

GW 16 303 MO

3 gang

GW 16 304 MO

4 gang

RUBY



GW 16 302 PR

2 gang

GW 16 303 PR

3 gang

GW 16 304 PR


4 gang

Painted technopolymer

Metallised technopolymer

Leather


Modularity



2 gang



3 gang



4 gang

For customized plates please contact our GEWISS Sales Organization

24

ICE TOUCH PLATES

Glass (for TOUCH modules)	WHITE	BLACK	TITANIUM
			
	GW 16 951 CB 1 symbol	GW 16 951 CN 1 symbol	GW 16 951 CT 1 symbol
			
	GW 16 952 CB 2 symbols	GW 16 952 CN 2 symbols	GW 16 952 CT 2 symbols
			
	GW 16 953 CB 3 symbols	GW 16 953 CN 3 symbols	GW 16 953 CT 3 symbols

For customized plates please contact our GEWISS Sales Organization

Chorus

Plates and modular devices

Innovative domestic range characterised by an extensive choice of materials, forms and finishes, to meet each and every requirement. Six different forms of plates (ONE, GEO, LUX, ART, ICE, ICE TOUCH) in different colours and materials, with modular devices in four colours (glossy white, glossy ivory, satin black, varnished titanium) and four different sizes (½, 1, 2, 3 modules). Available for flush-mounting and surface-mounting installations, the range can be integrated with the KNX home & building automation system.



Technical characteristics page 223

ONE INTERNATIONAL PLATES

TECHNOPOLYMER




GW 16 122 TB

ONE INTERNATIONAL - MILK WHITE

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 TB	2 gang			12
GW 16 123 TB	2+2 gang	Horizontal	71 mm	12
GW 16 124 TB	2+2 gang	Vertical	71 mm	12
GW 16 125 TB	2+2 gang	Vertical	57 mm	12
GW 16 126 TB	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 TB	2+2+2 gang	Vertical	71 mm	6
GW 16 128 TB	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 TB	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish. GW16125TB to be used with the GW24282PM box; for the installation use nr. 2 supports GW16822 vertically coupled by breaking the wings located on the contact side on both supports.



GW 16 122 TN

ONE INTERNATIONAL - TONER BLACK

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 TN	2 gang			12
GW 16 123 TN	2+2 gang	Horizontal	71 mm	12
GW 16 124 TN	2+2 gang	Vertical	71 mm	12
GW 16 126 TN	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 TN	2+2+2 gang	Vertical	71 mm	6
GW 16 128 TN	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 TN	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish.



GW 16 122 TI

ONE INTERNATIONAL - IVORY

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 TI	2 gang			12
GW 16 123 TI	2+2 gang	Horizontal	71 mm	12
GW 16 124 TI	2+2 gang	Vertical	71 mm	12
GW 16 126 TI	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 TI	2+2+2 gang	Vertical	71 mm	6
GW 16 128 TI	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 TI	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish.

METALLISED TECHNOPOLYMER



GW 16 122 MC

ONE INTERNATIONAL - CHROME

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 MC	2 gang			12
GW 16 123 MC	2+2 gang	Horizontal	71 mm	6
GW 16 124 MC	2+2 gang	Vertical	71 mm	6
GW 16 126 MC	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 MC	2+2+2 gang	Vertical	71 mm	6
GW 16 128 MC	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 MC	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish.



GW 16 122 MO

ONE INTERNATIONAL - GOLD

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 MO	2 gang			12
GW 16 123 MO	2+2 gang	Horizontal	71 mm	6
GW 16 124 MO	2+2 gang	Vertical	71 mm	6
GW 16 126 MO	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 MO	2+2+2 gang	Vertical	71 mm	6
GW 16 128 MO	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 MO	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish.

PAINTED TECHNOPOLYMER, PASTEL COLOURS



GW 16 122 VR

ONE INTERNATIONAL - RUBY

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 VR	2 gang			12
GW 16 123 VR	2+2 gang	Horizontal	71 mm	12
GW 16 124 VR	2+2 gang	Vertical	71 mm	12
GW 16 126 VR	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 VR	2+2+2 gang	Vertical	71 mm	6
GW 16 128 VR	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 VR	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: fabric effect.




GW 16 122 VB

ONE INTERNATIONAL - SEA BLUE

Code	Description	Type	Centre distance	Pack Carton
GW 16 122 VB	2 gang			12
GW 16 123 VB	2+2 gang	Horizontal	71 mm	12
GW 16 124 VB	2+2 gang	Vertical	71 mm	12
GW 16 126 VB	2+2+2 gang	Horizontal	71 mm	6
GW 16 127 VB	2+2+2 gang	Vertical	71 mm	6
GW 16 128 VB	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 129 VB	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: fabric effect.



GW 16 422 TC

GEO INTERNATIONAL - HEMP

Code	Description	Type	Centre distance	Pack Carton
GW 16 422 TC	2 gang			12
GW 16 423 TC	2+2 gang	Horizontal	71 mm	12
GW 16 424 TC	2+2 gang	Vertical	71 mm	12
GW 16 426 TC	2+2+2 gang	Horizontal	71 mm	6
GW 16 427 TC	2+2+2 gang	Vertical	71 mm	6

CHARACTERISTICS: glossy finish.

PAINTED TECHNOPOLYMER



GW 16 422 VT

GEO INTERNATIONAL - TITANIUM

Code	Description	Type	Centre distance	Pack Carton
GW 16 422 VT	2 gang			12
GW 16 423 VT	2+2 gang	Horizontal	71 mm	12
GW 16 424 VT	2+2 gang	Vertical	71 mm	12
GW 16 426 VT	2+2+2 gang	Horizontal	71 mm	6
GW 16 427 VT	2+2+2 gang	Vertical	71 mm	6

CHARACTERISTICS: glossy finish.



GW 16 422 VA

GEO INTERNATIONAL - SLATE

Code	Description	Type	Centre distance	Pack Carton
GW 16 422 VA	2 gang			12
GW 16 423 VA	2+2 gang	Horizontal	71 mm	6
GW 16 424 VA	2+2 gang	Vertical	71 mm	6
GW 16 426 VA	2+2+2 gang	Horizontal	71 mm	6
GW 16 427 VA	2+2+2 gang	Vertical	71 mm	6

CHARACTERISTICS: glossy finish.

METALLISED TECHNOPOLYMER



GW 16 422 MC

GEO INTERNATIONAL - CHROME

Code	Description	Type	Centre distance	Pack Carton
GW 16 422 MC	2 gang			12
GW 16 423 MC	2+2 gang	Horizontal	71 mm	6
GW 16 424 MC	2+2 gang	Vertical	71 mm	6
GW 16 426 MC	2+2+2 gang	Horizontal	71 mm	6
GW 16 427 MC	2+2+2 gang	Vertical	71 mm	6

CHARACTERISTICS: glossy finish.

LUX INTERNATIONAL PLATES

TECHNOPOLYMER



GW 16 222 TB

LUX INTERNATIONAL - MILK WHITE

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 TB	2 gang			12
GW 16 223 TB	2+2 gang	Horizontal	71 mm	6
GW 16 224 TB	2+2 gang	Vertical	71 mm	6
GW 16 225 TB	2+2 gang	Vertical	57 mm	6
GW 16 226 TB	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 TB	2+2+2 gang	Vertical	71 mm	1
GW 16 228 TB	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 TB	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish. GW16225TB to be used with the GW24282PM box; for the installation use nr. 2 supports GW16822 vertically coupled by breaking the wings located on the contact side on both supports.



GW 16 222 YB

LUX INTERNATIONAL - MONOCHROME MILK WHITE

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 YB	2 gang			12
GW 16 223 YB	2+2 gang	Horizontal	71 mm	6
GW 16 224 YB	2+2 gang	Vertical	71 mm	6
GW 16 226 YB	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 YB	2+2+2 gang	Vertical	71 mm	1
GW 16 228 YB	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 YB	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish.

NOTES: under-plate and inner frame in the same white shade as the plate.



GW 16 222 TN

LUX INTERNATIONAL - TONER BLACK

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 TN	2 gang			12
GW 16 223 TN	2+2 gang	Horizontal	71 mm	6
GW 16 224 TN	2+2 gang	Vertical	71 mm	6
GW 16 226 TN	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 TN	2+2+2 gang	Vertical	71 mm	1
GW 16 228 TN	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 TN	2+2+2+2 gang	Vertical	71 mm	1

CHARACTERISTICS: glossy finish.

TECHNOPOLYMER - WOOD FINISH



GW 16 222 LA

LUX INTERNATIONAL - MAPLE

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 LA	2 gang			12
GW 16 223 LA	2+2 gang	Horizontal	71 mm	6
GW 16 224 LA	2+2 gang	Vertical	71 mm	6
GW 16 226 LA	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 LA	2+2+2 gang	Vertical	71 mm	1
GW 16 228 LA	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 LA	2+2+2+2 gang	Vertical	71 mm	1



GW 16 222 LW

LUX INTERNATIONAL - WENGE

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 LW	2 gang			12
GW 16 223 LW	2+2 gang	Horizontal	71 mm	6
GW 16 224 LW	2+2 gang	Vertical	71 mm	6
GW 16 226 LW	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 LW	2+2+2 gang	Vertical	71 mm	1
GW 16 228 LW	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 LW	2+2+2+2 gang	Vertical	71 mm	1



GW 16 222 LC

LUX INTERNATIONAL - CHERRY

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 LC	2 gang			12
GW 16 223 LC	2+2 gang	Horizontal	71 mm	6
GW 16 224 LC	2+2 gang	Vertical	71 mm	6
GW 16 226 LC	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 LC	2+2+2 gang	Vertical	71 mm	1
GW 16 228 LC	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 LC	2+2+2+2 gang	Vertical	71 mm	1

METAL



GW 16 222 MI

LUX INTERNATIONAL - BRUSHED STAINLESS STEEL

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 MI	2 gang			1
GW 16 223 MI	2+2 gang	Horizontal	71 mm	1
GW 16 224 MI	2+2 gang	Vertical	71 mm	1
GW 16 226 MI	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 MI	2+2+2 gang	Vertical	71 mm	1
GW 16 228 MI	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 MI	2+2+2+2 gang	Vertical	71 mm	1



GW 16 222 MA

LUX INTERNATIONAL - BLACK ALUMINIUM

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 MA	2 gang			1
GW 16 223 MA	2+2 gang	Horizontal	71 mm	1
GW 16 224 MA	2+2 gang	Vertical	71 mm	1
GW 16 226 MA	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 MA	2+2+2 gang	Vertical	71 mm	1
GW 16 228 MA	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 MA	2+2+2+2 gang	Vertical	71 mm	1



GW 16 222 MF

LUX INTERNATIONAL - OXIDISED FINISH

Code	Description	Type	Centre distance	Pack Carton
GW 16 222 MF	2 gang			1
GW 16 223 MF	2+2 gang	Horizontal	71 mm	1
GW 16 224 MF	2+2 gang	Vertical	71 mm	1
GW 16 226 MF	2+2+2 gang	Horizontal	71 mm	1
GW 16 227 MF	2+2+2 gang	Vertical	71 mm	1
GW 16 228 MF	2+2+2+2 gang	Horizontal	71 mm	1
GW 16 229 MF	2+2+2+2 gang	Vertical	71 mm	1

ONE ITALIAN STANDARD PLATES

TECHNOPOLYMER



GW 16 103 TB

ONE - MILK WHITE

Code	Description	Configuration	For support codes	Pack Carton
GW 16 101 TB	1 gang		GW16802, GW16803	96
GW 16 102 TB	2 gang		GW16802, GW16803	96
GW 16 103 TB	3 gang		GW16803	96
GW 16 104 TB	4 gang		GW16804	12
GW 16 106 TB	6 gang		GW16806	12
GW 16 108 TB	4+4 gang	Overlapping	GW16808	6
GW 16 112 TB	6+6 gang	Overlapping	GW16812	6

CHARACTERISTICS: glossy finish.



GW 16 103 TN

ONE - TONER BLACK

Code	Description	For support codes	Pack Carton
GW 16 101 TN	1 gang	GW16802, GW16803	12
GW 16 102 TN	2 gang	GW16802, GW16803	12
GW 16 103 TN	3 gang	GW16803	24
GW 16 104 TN	4 gang	GW16804	12
GW 16 106 TN	6 gang	GW16806	6

CHARACTERISTICS: glossy finish.




GW 16 103 TI

ONE - IVORY

Code	Description	For support codes	Pack Carton
GW 16 101 TI	1 gang	GW16802, GW16803	12
GW 16 102 TI	2 gang	GW16802, GW16803	12
GW 16 103 TI	3 gang	GW16803	24
GW 16 104 TI	4 gang	GW16804	12
GW 16 106 TI	6 gang	GW16806	6

CHARACTERISTICS: glossy finish.



GW 16 103 TL

ONE - CARIBBEAN BLUE

Code	Description	For support codes	Pack Carton
GW 16 103 TL	3 gang	GW16803	24
GW 16 104 TL	4 gang	GW16804	12

CHARACTERISTICS: glossy finish.



GW 16 103 TT

ONE - TOPAZ BLUE

Code	Description	For support codes	Pack Carton
GW 16 103 TT	3 gang	GW16803	24
GW 16 104 TT	4 gang	GW16804	12

CHARACTERISTICS: glossy finish.

ICE ITALIAN STANDARD PLATES

GLASS




GW 16 903 CB

ICE - WHITE

Code	Description	For support codes	Pack Carton
GW 16 903 CB	3 gang	GW16803	1
GW 16 904 CB	4 gang	GW16804	1

CHARACTERISTICS: glossy finish.



GW 16 903 CN

ICE - BLACK

Code	Description	For support codes	Pack Carton
GW 16 903 CN	3 gang	GW16803	1
GW 16 904 CN	4 gang	GW16804	1

CHARACTERISTICS: glossy finish.



GW 16 903 CT

ICE - TITANIUM

Code	Description	For support codes	Pack Carton
GW 16 903 CT	3 gang	GW16803	1
GW 16 904 CT	4 gang	GW16804	1

CHARACTERISTICS: glossy finish.

ICE TOUCH ITALIAN STANDARD PLATES

GLASS



GW 16 953 CB

ICE TOUCH - WHITE

Code	Description	For support codes	Pack Carton
GW 16 951 CB	1 symbol	GW16803	1
GW 16 952 CB	2 symbols	GW16803	1
GW 16 953 CB	3 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish. Plates with 1, 2 or 3 symbols are used in combination with 1, 2 or 3 touch modules, respectively (switch module GW10907, dimmer module GW10908 or command duplicator module GW10909).



GW 16 953 CN

ICE TOUCH - BLACK

Code	Description	For support codes	Pack Carton
GW 16 951 CN	1 symbol	GW16803	1
GW 16 952 CN	2 symbols	GW16803	1
GW 16 953 CN	3 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish. Plates with 1, 2 or 3 symbols are used in combination with 1, 2 or 3 touch modules, respectively (switch module GW10907, dimmer module GW10908 or command duplicator module GW10909).



GW 16 953 CT

ICE TOUCH - TITANIUM

Code	Description	For support codes	Pack Carton
GW 16 951 CT	1 symbol	GW16803	1
GW 16 952 CT	2 symbols	GW16803	1
GW 16 953 CT	3 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish. Plates with 1, 2 or 3 symbols are used in combination with 1, 2 or 3 touch modules, respectively (switch module GW10907, dimmer module GW10908 or command duplicator module GW10909).

ICE TOUCH KNX ITALIAN STANDARD PLATES

GLASS



GW 16 946 CB

ICE TOUCH KNX - WHITE

Code	Description	For support codes	Pack Carton
GW 16 946 CB	6 touch areas	GW16803	1

CHARACTERISTICS: plates made in glass with a glossy finish, used to complete the touch push-button panel modules - KNX (GWA942i) or Easy (GWA947i). The plates have 6 capacitive touch areas.

NOTES: the symbols shown in the picture are indicative only: they can be personalised using the set of adhesive icons included in the touch push-button module package. The code of the plate is unique and independent from the number of channels that you want to activate (from 1 to 6).



GW 16 946 CN

ICE TOUCH KNX - BLACK

Code	Description	For support codes	Pack Carton
GW 16 946 CN	6 touch areas	GW16803	1

CHARACTERISTICS: plates made in glass with a glossy finish, used to complete the touch push-button panel modules - KNX (GWA942i) or Easy (GWA947i). The plates have 6 capacitive touch areas.

NOTES: the symbols shown in the picture are indicative only: they can be personalised using the set of adhesive icons included in the touch push-button module package. The code of the plate is unique and independent from the number of channels that you want to activate (from 1 to 6).



GW 16 946 CT

ICE TOUCH KNX - TITANIUM

Code	Description	For support codes	Pack Carton
GW 16 946 CT	6 touch areas	GW16803	1

CHARACTERISTICS: plates made in glass with a glossy finish, used to complete the touch push-button panel modules - KNX (GWA942i) or Easy (GWA947i). The plates have 6 capacitive touch areas.

NOTES: the symbols shown in the picture are indicative only: they can be personalised using the set of adhesive icons included in the touch push-button module package. The code of the plate is unique and independent from the number of channels that you want to activate (from 1 to 6).



GW 16 966 CB

ICE TOUCH KNX - WHITE

Code	Description	For support codes	Pack Carton
GW 16 962 CB	2 symbols	GW16803	1
GW 16 964 CB	4 symbols	GW16803	1
GW 16 966 CB	6 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish, used to complete the touch push-button panel modules - KNX (GW10746) or Easy (GW10741).



GW 16 966 CN

ICE TOUCH KNX - BLACK

Code	Description	For support codes	Pack Carton
GW 16 962 CN	2 symbols	GW16803	1
GW 16 964 CN	4 symbols	GW16803	1
GW 16 966 CN	6 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish, used to complete the touch push-button panel modules - KNX (GW10746) or Easy (GW10741).



GW 16 966 CT

ICE TOUCH KNX - TITANIUM

Code	Description	For support codes	Pack Carton
GW 16 962 CT	2 symbols	GW16803	1
GW 16 964 CT	4 symbols	GW16803	1
GW 16 966 CT	6 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish, used to complete the touch push-button panel modules - KNX (GW10746) or Easy (GW10741).



GW 16 966 CN

ICE TOUCH KNX - BLACK

Code	Description	For support codes	Pack Carton
GW 16 962 CN	2 symbols	GW16803	1
GW 16 964 CN	4 symbols	GW16803	1
GW 16 966 CN	6 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish, used to complete the touch push-button panel modules - KNX (GW10746) or Easy (GW10741).



GW 16 966 CT

ICE TOUCH KNX - TITANIUM

Code	Description	For support codes	Pack Carton
GW 16 962 CT	2 symbols	GW16803	1
GW 16 964 CT	4 symbols	GW16803	1
GW 16 966 CT	6 symbols	GW16803	1

CHARACTERISTICS: plates in glass and with a glossy finish, used to complete the touch push-button panel modules - KNX (GW10746) or Easy (GW10741).

SPECIAL PLATES AND PANELS

WATERTIGHT PLATES



GW 16 703 TB

WATERTIGHT PLATES - ITALIAN STANDARD - IP55

Code	Description	Colour	Included support	Pack Carton
GW 16 703 TB	3 gang	White	GW16803	1/24
GW 16 704 TB	4 gang	White	GW16804	1/24
GW 16 703 TN	3 gang	Black	GW16803	1/12
GW 16 704 TN	4 gang	Black	GW16804	1/12
GW 16 703 VT	3 gang	Titanium	GW16803	1/12
GW 16 704 VT	4 gang	Titanium	GW16804	1/12

CHARACTERISTICS: support included. Ergonomic membrane in UV-resistant material. Snap closing system. Opening made easy by wide key.

APPLICATIONS: for installation on rectangular flush-mounting boxes.

NOTES: degree of protection IP55 with closed lid and with installation on smooth, waterproof walls without grooves (smooth tiles, marble).



GW 16 702 TB

WATERTIGHT PLATES - INTERNATIONAL STANDARD - IP55

Code	Description	Colour	Included support	Pack Carton
GW 16 702 TB	2 gang	White	GW16822	1/24
GW 16 702 TN	2 gang	Black	GW16822	1/12
GW 16 702 VT	2 gang	Titanium	GW16822	1/12

CHARACTERISTICS: support included. Ergonomic membrane in UV-resistant material. Snap closing system. Opening made easy by wide key.

APPLICATIONS: for installation on round/square flush-mounting boxes.

NOTES: degree of protection IP55 with closed lid and with installation on smooth, waterproof walls without grooves (smooth tiles, marble).

PLATES FOR PROFILES



GW 16 711 TB

SELF-SUPPORTING PLATES FOR PROFILES AND PANELS

Code	Description	Colour Plate	Characteristics	Pack Carton
GW 16 711 TB	1 gang	White	Halogen free	1/48
GW 16 712 TB	2 gang	White	Halogen free	1/24
GW 16 711 TN	1 gang	Black	Halogen free	1/24
GW 16 712 TN	2 gang	Black	Halogen free	1/24
GW 16 711 VT	1 gang	Titanium	Halogen free	1/12
GW 16 712 VT	2 gang	Titanium	Halogen free	1/12

CHARACTERISTICS: complete with insulating box and supports. Diameter for cable input max. 10mm.

NOTES: the insulating box is equipped with a tug-proof cable fastener device and a corrugated conduit fastener device.

BLANK PLATES



GW 16 723 TB

BLANK PLATES



Code	Description	Colour	For support codes	Characteristics	Pack Carton
GW 16 723 TB	3 gang	White	GW16802, GW16803	Halogen free	1/24
GW 16 724 TB	4 gang	White	GW16804	Halogen free	1/24
GW 16 723 TN	3 gang	Black	GW16802, GW16803	Halogen free	1/12
GW 16 724 TN	4 gang	Black	GW16804	Halogen free	1/12

CHARACTERISTICS: support not included for installation on rectangular boxes.

FREE-STANDING AND WALL-MOUNTING ENCLOSURES



GW 16 854

FREE-STANDING AND WALL-MOUNTING ENCLOSURES FOR ONE PLATES

Code	Description	Colour	Support	Outer dim. LxHxD (mm)	Pack Carton
GW 16 854	4 gang	White	GW16804	140x90x69	1/30
GW 16 856	6 gang	White	GW16806	181x90x69	1/15
GW 16 864	4 gang	Black	GW16804	140x90x69	1/30
GW 16 866	6 gang	Black	GW16806	181x90x69	1/15

CHARACTERISTICS: support and plate not included. Use ONE plates (interchangeability with the entire colour range of plates).

Diameter for cable input max. 10mm.

NOTES: cable gland and safety cable fastener included. For wall-mounting, use wall plugs with a countersunk head, max Ø 3.5mm.

SUPPORTS



GW 16 822

INTERNATIONAL STANDARD SUPPORTS




Code	Description	Fixing	Characteristics	Pack Carton
GW 16 821	2 gang	With fixing clutches	Halogen free	12/120
GW 16 822	2 gang	With screws (not included)	Halogen free	20/120
GW 16 823	2 gang	With long fixing clutches	Halogen free	12/120
GW 16 831	2 gang	With screws (M6/32x23 included)	Halogen free	10/160

CHARACTERISTICS: GW16821 and GW16823 equipped with fixing clutches for installation on round boxes.

GW16831 for boxes with fixing center distance of 60.3mm and dimensions 70x70mm (British Standard).

When using ONE or LUX International plates, 57mm vertical 2+2 gang, use nr. 2 supports GW16822 vertically coupled by breaking the wings located on the contact side on both supports.



GW 16 824

FRENCH STANDARD SUPPORTS



Code	Description	Fixing	Characteristics	Pack Carton
GW 16 824	4 gang	With screws (not incl.) horiz. centre dist. 57mm	Halogen free	12/60
GW 16 825	6 gang	With screws (not incl.) horiz. centre dist. 2x57mm	Halogen free	12/48

CHARACTERISTICS: supports pre-arranged for fixing on French Standard rectangular boxes.

NOTES: GW16824 fit the 4-gang Chorus plates. GW16825 fit the 6-gang Chorus plates.




GW 16 871

PROTECTIVE COVERS FOR PAINTING, FOR CHORUS RANGE, INTERNATIONAL STANDARD

Code	Description	Suitable for support	Colour	Pack Carton
GW 16 871	2 gang	GW16821, GW16822, GW16823, GW16831	Transparent	60/480

CHARACTERISTICS: total protection during painting and finishing operations.

NOTES: snap-in mounting to facilitate assembly and removal operations.



GW 16 802

ITALIAN STANDARD SUPPORTS



Code	Description	Fixing	Characteristics	Pack Carton
GW 16 802	2 gang	2 screws (included)	Halogen free	12/120
GW 16 803	3 gang	2 screws (included)	Halogen free	12/240
GW 16 804	4 gang	2 screws (included)	Halogen free	12/120
GW 16 806	6 gang	4 screws (included)	Halogen free	12/72
GW 16 808	4+4 gang	4 screws (included)	Halogen free	12/48
GW 16 812	6+6 gang	4 screws (included)	Halogen free	12/48

CHARACTERISTICS: GW16802 fitted for fixing on both rectangular 3-gang boxes (centre distance 83.5mm) and round/square boxes (centre distance 60mm) equipped with fixing columns. To be completed with 2-gang Italian Standard plates.

NOTES: GW16808 and GW16812 can be used in combination with Chorus ONE plates (milk white or titanium).



GW 16 873

PROTECTIVE COVERS FOR PAINTING, FOR CHORUS RANGE, ITALIAN STANDARD

Code	Description	Suitable for support	Colour	Pack Carton
GW 16 873	3 gang	GW16802, GW16803	Transparent	120/480
GW 16 874	4 gang	GW16804	Transparent	60/240
GW 16 876	6 gang	GW16806	Transparent	60/240

CHARACTERISTICS: total protection during painting and finishing operations.

NOTES: snap-in mounting to facilitate assembly and removal operations.



GW 16 841






SUPPORTS FOR ASSEMBLING CHORUS DEVICES ON DIN EN 50022 RAIL

Code	Description	No. DIN modules	Pack Carton
GW 16 841	1 gang	1.5	5/300
GW 16 842	2 gang	3	5/150
GW 16 843	3 gang	4	5/50

CHARACTERISTICS: manual release system for Chorus devices, without the need for tools.

NOTES: pay attention when using particularly deep devices (2P three-way switches, movement detectors and IR receivers, relays, German standard socket-outlets with front tightening, quick wiring terminals, British standard socket-outlets, interlocked switched socket-outlet, shaver socket-outlets, USB power supplies, miniature circuit breakers and residual current circuit breakers, anti black-out and emergency lamps, ringers and buzzers, thermostats and timed thermostats, programmers, water and gas detectors, timers, dimmers, touch commands, electronic push-buttons with interlock, KNX flush-mounting timed thermostats, etc.) as they may interfere with the DIN rail, preventing the correct passage of the wires.

COMMAND - WHITE

One-way switches												
												
Two-way switches												
												
												
Push-buttons												
												
												


(*) supplied without signalling unit

COMMAND - WHITE

One-way switches quick wiring	 GW 10 031 F 2M-1P-16 AX	 GW 10 032 F 2M-1P-16 AX Illuminable (*)	 GW 10 033 F 2M-1P-16 AX Illuminable (*)	 GW 10 034 F 2M-2P-16 AX	 GW 10 035 F 2M-2P-16 AX Illuminable (*)							
	 GW 10 071 F 2M-1P-16 AX	 GW 10 072 F 2M-1P-16 AX Illuminable (*)	 GW 10 073 F 2M-1P-16 AX Illuminable (*)	Intermediate switches quick wiring	 GW 10 101 F 2M-1P-16 AX	 GW 10 102 F 2M-1P-16 AX Illuminable (*)	 GW 10 103 F 2M-1P-16 AX Illuminable (*)					
	 GW 10 171 F 2M-1P-NO-16 A	 GW 10 172 F 2M-1P-NO-16 A Illuminable (*)	 GW 10 173 F 2M-1P-NO-16 A Illuminable (*)		Combined devices	 GW 10 078 F Two-way switch 1P-16 AX+ Two-way switch 1P-16 AX	 GW 10 159 F Two-way switch 1P-16 AX+ Push-button 1P-NO-16 A	 GW 10 160 F Push-button 1P-NO-16 A+ Push-button 1P-NO-16 A				
	Lenses with illuminated symbol	 GW 10 501 Neutral	 GW 10 502 Light	 GW 10 503 Stair light	 GW 10 504 Table light	 GW 10 505 Bell	 GW 10 506 Fan	 GW 10 507 Key	 GW 10 508 Alarm	 GW 10 509 ON		
 GW 10 510 OFF		 GW 10 511 Nurse	 GW 10 512 Waitress	 GW 10 513 Dimmer increase	 GW 10 514 Dimmer decrease	 GW 10 515 UP arrow	 GW 10 516 DOWN arrow	 GW 10 517 UP-DOWN arrow	 GW 10 518 RIGHT-LEFT arrow			
 GW 10 531 One		 GW 10 532 Two	 GW 10 533 Three	 GW 10 534 Four	 GW 10 535 Five	 GW 10 536 Six	 GW 10 537 Seven	 GW 10 538 Eight	 GW 10 539 Nine	 GW 10 540 Zero		
Interchangeable button keys		 GW 10 541 General	 GW 10 542 With label	 GW 10 543 Key	 GW 10 544 Bell	 GW 10 545 Vertical arrow	 GW 10 546 Horizontal arrow	Interchangeable diffuser	 GW 10 547 Red	 GW 10 548 Green	 GW 10 549 Opal	 GW 10 550 Amber
Blanking modules	 GW 10 197 1/2M	 GW 10 195 1M	 GW 10 198 2M	 GW 10 199 3M	Cable outputs	 GW 10 196 1M	 GW 10 194 2M					
Infrared	 GW 10 591 Movement detector 1M-INO-3 A	 GW 10 592 Movement detector 2M-INO-16 A	 GW 10 597 1-channel receiver 1M-230 V ac-50/60 Hz	 GW 12 596 6-channel portable remote control	Relays	 GW 10 721 Latching 1M-1P-10 AX-250 V ac	 GW 10 723 Latching, 4 sequences 1M-2P-10 AX-250 V ac	 GW 10 724 Monostable 1M-1P-10 A-250 V ac-1NO/NC	 GW 10 726 Call 1M-1P-NO/NC-12 V ac/dc			

(*) supplied without signalling unit

POWER - WHITE

Italian	 GW 10 201 2P+E-10 A-250 V ac	 GW 10 203 2P+E-16 A-250 V ac Dual amperage	 GW 10 213 2P+E-16 A-250 V ac Dual amperage	 GW 10 223 2P+E-16 A-250 V ac Dual amperage	 GW 10 233 2P+E-16 A-250 V ac Dual amperage	 GW 10 208 2x2P+E-16 A-250 V ac Dual amperage	 GW 10 209 3x2P+E-16 A-250 V ac Dual amperage	
	 GW 10 204 2P+E-16 A-250 V ac Dual amperage	 GW 10 205 2P+E-16 A-250 V ac	 GW 10 214 2P+E-16 A-250 V ac Dual amperage - Illuminable (*)	 GW 10 224 2P+E-16 A-250 V ac Dual amperage - Illuminable (*)	 GW 10 234 2P+E-16 A-250 V ac Dual amperage - Illuminable (*)	Swiss  GW 10 346 2P+E-10 A-250 V ac Type 13		
German	 GW 10 241 2P+E-16 A-250 V ac	 GW 10 242 2P+E-16 A-250 V ac with lid - IP40	 GW 10 251 2P+E-16 A-250 V ac	 GW 10 341 2P+E-16 A-250 V ac Front tightening terminals	 GW 10 351 2P+E-16 A-250 V ac Front tightening terminals	 GW 10 241 F 2P+E-16 A-250 V ac Quick wiring	 GW 10 251 F 2P+E-16 A-250 V ac Quick wiring	
	 GW 10 246 2P-16 A-250 V ac	 GW 10 247 2P+E-16 A-250 V ac	 GW 10 248 2P+E-16 A-250 V ac Front tightening terminals	 GW 10 258 2P+E-16 A-250 V ac Front tightening terminals	 GW 10 247 F 2P+E-16 A-250 V ac Quick wiring	 GW 10 257 F 2P+E-16 A-250 V ac Quick wiring	 GW 10 260 Accessory for dedicated lines	
Israeli	 GW 10 281 2P+E-16 A-250 V ac Illuminable (*)	 GW 10 291 2P+E-16 A-250 V ac Illuminable (*)	 GW 10 282 2P-10 A-250 V ac	USA  GW 10 286 2P+E-15 A-250/125 V ac		Euro-american  GW 10 287 2P-15 A-250/125 V ac		
					 GW 10 288 2P+E-15 A-250/125 V ac		Multistandard  GW 10 310 2P+E - 13 A/250 V ac - 15 A/127 V ac	
British	 GW 10 296 2P+E-13 A-250 V ac	 GW 10 297 2P+E-15 A-250 V ac	Argentinian  GW 10 301 2P+E-10 A-250 V ac		Australian  GW 10 306 2P+E-10 A-250 V ac		Indian/South African  GW 10 298 2P+E-16 A-250 V ac	
					 GW 10 307 2P+E-15 A-250 V ac		 GW 10 299 2P+E-16 A-250 V ac	
Chinese	 GW 10 391 2P+E-10 A-250 V ac	 GW 10 392 2P+E-16 A-250 V ac						
Interlocked switched socket-outlets	 GW 10 311 2P+E-16 A-230 V ac	 GW 10 312 2P+E-16 A-230 V ac	 GW 10 321 2P+E-16 A-230 V ac	 GW 10 322 2P+E-16 A-230 V ac				
Shaver socket-outlet		 GW 10 331 230 V ac-50/60 Hz						

(*) supplied without signalling unit

DATA - WHITE

TV male IEC					TV-SAT female F					TV and TV-SAT accessory	
TV-FM-SAT				TV-SAT			Covers for antenna sockets				
Telephone sockets								Adapters for optical fiber			
Data sockets							Connectors for conventional networks				
Data sockets						Selv sockets					
Audio and video sockets					USB and HDMI couplers and sockets				USB power supply		

PROTECTION - WHITE

Miniature circuit breakers							Protection devices		
Residual miniature circuit breakers									

INDICATOR - WHITE

Anti black-out lamps			Emergency lamps								
	GW 10 661 230 V ac-50/60 Hz Extractable	GW 10 662 230 V ac-50/60 Hz		GW 10 663 230 V ac-50/60 Hz	GW 10 666 230 V ac-50/60 Hz						
Ringers					Buzzers						
	GW 10 601 12 V ac-50 Hz	GW 10 602 230 V ac-50 Hz	GW 10 611 12 V ac/dc Three independent inputs	GW 10 612 230 V ac-50 Hz Three independent inputs		GW 10 606 12 V ac-50 Hz	GW 10 607 230 V ac-50 Hz				
Single indicator lamps									Double indicator lamps		
	GW 10 641 1/2M - Opal Illuminable (*)	GW 10 642 1/2M - Green Illuminable (*)	GW 10 643 1/2M - Red Illuminable (*)	GW 10 644 1/2M - Amber Illuminable (*)	GW 10 621 1M - Opal Illuminable (*)	GW 10 622 1M - Green Illuminable (*)	GW 10 623 1M - Red Illuminable (*)	GW 10 624 1M - Amber Illuminable (*)		GW 10 628 1M - Opal Illuminable (*)	GW 10 629 1M - Red/Green Illuminable (*)
Protruding indicator lamps					Stair riser lamps						
	GW 10 631 2M-12 V ac/dc-230 V ac-50/60 Hz Opal	GW 10 632 2M-12 V ac/dc-230 V ac-50/60 Hz Green	GW 10 633 2M-12 V ac/dc-230 V ac-50/60 Hz Red	GW 10 634 2M-12 V ac/dc-230 V ac-50/60 Hz Amber		GW 10 651 2M Opal	GW 10 656 4M Opal				

ENERGY MANAGEMENT, CLIMATE, COMFORT AND TECHNICAL ALARMS - WHITE

Timed thermostats				Thermostats				
	GW 10 703 230 V ac-50/60 Hz	GW 10 701 White Wall-mounting	GW 14 701 Titanium Wall-mounting		GW 16 972 CB Thermo ICE WIFI thermostat 12-24 V ac/dc	GW 10 720 Power supply 100/240 V ac-50/60 Hz-12 V dc	GW 16 970 CB Thermo ICE WIFI thermostat 230 V ac/dc - Wall-mounting	GW 10 705 230 V ac-50/60 Hz
Clock/Alarm/Thermometer		Electronic timer		Timers				
	GW 10 708 230 V ac-50/60 Hz		GW 10 581 230 V ac-50/60 Hz Daily/Weekly		GW 10 583 1M	GW 10 582 2M		
Detectors					Accessories			
	GW 10 711 LPG 12 V ac/dc	GW 10 712 Methane GAS 12 V ac/dc	GW A1 514 Flood alarm ZigBee	GW A1 521 1-channel actuator ZigBee 230 V ac-50 Hz		GW A1 541 Wall-mounting support for flood alarm	GW 10 720 Power supply 100/240 V ac-50/60 Hz-12 V dc	GW 30 522 GAS solenoid valve 3/4"-230 V ac-12 VA


(*) supplied without signalling unit

REGULATION - WHITE

Dimmer								
								
	GW 10 561 Resistive 100-500 W 230 V ac-50/60 Hz	GW 10 564 ▲ Resistive 100-900 W Inductive 40-300 VA 230 V ac-50/60 Hz	GW 10 567 Resistive 100-500 W Inductive 100-500 VA With two-way switch 230 V ac-50/60 Hz	GW 10 566 Resistive 20-160 W Electr. transf. 40-160/4-110 W LED 4-160 W With two-way switch 230 V ac-50/60 Hz	GW 10 572 A Res./Ind. 40-300 W Electr. transf. 40-300 W LED 5-150 W 230 V ac-50/60 Hz	GW 10 573 A Res./Ind. 40-300 W Electr. transf. 40-300 W LED 5-150 W 230 V ac-50/60 Hz	GW 10 568 Resistive 60-500 W Inductive 60-500 VA 230 V ac-50 Hz	GW 10 574 For air agitators Inductive 55-80 VA 230 V ac-50 Hz

COMMAND - WHITE

TOUCH commands				TOUCH command modules			
							
	GW 10 904 One-way switch 1M-230 V ac-50 Hz	GW 10 905 Dimmer 1M-230 V ac-50 Hz	GW 10 906 Command duplicator 1M-230 V ac-50 Hz		GW 10 907 One-way switch module 1M-230 V ac-50 Hz	GW 10 908 Dimmer module 1M-230 V ac-50 Hz	GW 10 909 Command duplicator module 1M-230 V ac-50 Hz

Electronic push-buttons							
							
	GW 10 915 Universal 1M-1P-NO	GW 10 912 1M-NO-230 V ac Backlit	GW 10 913 For BUS inputs 1M-1P-NO Backlit	GW 10 916 For BUS inputs 1M-1P-NO Backlit	GW 10 917 For BUS inputs 2M-1P-NO Backlit	GW 10 918 For BUS inputs 2M-1P-NO Backlit	GW 10 914 With interlock 1M-1P-NO+NO



HOTEL COMPONENTS - WHITE




Badge switch					Interchangeable button keys				Double indicator lamp
									
	GW 10 039 2M-1P-NO-16 AX Illuminable (*)					GW 10 731 DND	GW 10 732 MUR	GW 10 733 DND + MUR	

ACCESSORIES

LED signalling units							Cartridge lamps			Keys
										
	GW 10 881 Blue 230 V ac-50/60 Hz	GW 10 882 White 230 V ac-50/60 Hz	GW 10 883 Red 230 V ac-50/60 Hz	GW 10 884 Green 230 V ac-50/60 Hz	GW 10 885 Amber 230 V ac-50/60 Hz	GW 10 894 White 12/24 V ac/dc		GW 20 902 White 12 V-56x36	GW 20 903 White 24 V-56x36	

SUPPORTS

Supports for round/ square boxes			Supports for round/square and rectangular boxes		
					
	GW 16 821 With fixing clutches - 2 gang GW 16 823 With long fixing clutches - 2 gang	GW 16 822 With screw (not included) - 2 gang		GW 16 802 With screw - 2 gang	

Supports for rectangular boxes					
					
	GW 16 803 With screw - 3 gang	GW 16 804 With screw - 4 gang GW 16 824 With screw (not included) for French std boxes	GW 16 806 With screw - 6 gang GW 16 825 With screw (not included) for French std boxes	GW 16 808 With screw - 4+4 gang	GW 16 812 With screw - 6+6 gang

▲ = Items designed solely to export to a limited number of countries outside the European Union or proposed as candidate and to the European Free Trade Association. Contact Gewiss customer service to check if the product meets the regulations of the country concerned before importing it.

(*) supplied without signalling unit